

814-RD-006-002

**EOSDIS Core System Project**

**HDF-EOS Version Description Document  
(VDD) for the ECS Project**

**Subject to government approval and not intended for  
general distribution.**

**Version 1.50**

**November 1996**

Hughes Information Technology Systems  
Upper Marlboro, Maryland

# **HDF-EOS Version Description Document (VDD) for the ECS Project**

**Version 1.50**

**November 1996**

Prepared Under Contract NAS5-60000

## **SUBMITTED BY**

Robert E. Clinard /s/                            11/22/96  
Robert E. Clinard, ECS CCB Chairman                Date  
EOSDIS Core System Project

**Hughes Information Technology Systems**  
Upper Marlboro, Maryland

814-RD-006-002

This page intentionally left blank.

## Preface

---

This document accompanies the delivery of HDF-EOS (Hierarchical Data Format - Earth Observing System), Version 1.50 software for the ECS project. It is not a formal deliverable and does not require Government approval; however, it has been placed under configuration control by the EOSDIS Core System (ECS) Science Data Processing Segment. Changes to this document shall be made by document change notice (DCN) or by complete revision.

This HDF-EOS version is directed at Earth Observing System (EOS) instrument data providers who will deliver code to the ECS Release A Distributed Active Archive Centers (DAACs). It describes the HDF-EOS library tools. It will also be used by EOS data consumers. HDF files consist of a directory and a collection of data objects. Every data object has a directory entry, containing a pointer to the data object location, and information defining the datatype. Additions to traditional HDF are required to fully support these datatypes.

This document describes three new EOS specific datatypes – *point*, *swath*, and *grid*. Each of these new datatypes is constructed using conventions for combining standard HDF datatypes and is supported by a special application programming interface (API) which aids the data product user or producer in the application of the conventions. The APIs allow data products to be created and manipulated in ways appropriate to each datatype, without regard to the actual HDF objects and conventions underlying them. The sum of these new APIs comprise the HDF-EOS library.

Any questions regarding distribution should be addressed to:

Data Management Office  
The ECS Project Office  
Hughes Information Technology Systems  
1616 McCormick Dr.  
Upper Marlboro, MD 20774-5372

This page intentionally left blank.

## Abstract

---

This document describes the delivery contents of HDF-EOS 1.50 software. HDF refers to the scientific data format standard selected by NASA as the baseline standard for EOS and HDF-EOS refers to EOS conventions for using HDF. The three interfaces described include – Point, Swath, and Grid.

It briefly describes the capabilities of the product, provides an inventory of the delivery, lists unresolved problems, and addresses issues such as special operating instructions, system limitations, and disclaimer notices for public domain software used in the product.

**Keywords:** API, HDF-EOS, Standard Data Format, Standard Data Product, Disk Format, Point, Grid, Swath

This page intentionally left blank.

# Change Information Page

---

List of Effective Pages	
Page Number	Issue
Title	Original
iii through x	Original
1-1 and 1-2	Original
2-1 and 2-2	Original
3-1 through 3-6	Original
4-1 through 4-10	Original
5-1 and 5-2	Original
A-1 and A-2	Original
B-1 and B-2	Original
C-1 and C-2	Original
AB-1 through AB-4	Original

  

Document History			
Document Number	Status/Issue	Publication Date	CCR Number
814-RD-006-001	Original	June 1996	96-0648A
814-RD-006-002	Original	November 1996	96-1312

This page intentionally left blank.

# **Contents**

---

## **Preface**

## **Abstract**

### **1. Introduction**

1.1 Identification of Document .....	1
1.2 Scope of Document.....	1
1.3 Purpose and Objectives of Document.....	1
1.4 Document Status and Schedule.....	1
1.5 Document Organization .....	1

### **2. Related Documentation**

2.1 Parent Documents .....	1
2.2 Applicable Documents.....	1

### **3. Product Description**

3.1 Product Description and General Capabilities.....	1
3.2 HDF-EOS Version 1.50 Routine Listing .....	1
3.2.1 PT API Routines .....	2
3.2.2 SW API Routines.....	3
3.2.3 GD API Routines .....	4
3.3 HDF-EOS 1.50 Test Tools and Drivers .....	5
3.4 HDF-EOS 1.50 Hierarchical Data Format.....	5
3.5 HDF-EOS User's Guide.....	5

### **4. Product Inventory 1**

4.1 HDF-EOS 1.50 Tar File Listing.....	1
4.2 HDF-EOS 1.50 Test Tools Tar File Listing.....	4
4.3 User's Guide Table of Contents.....	5
4.3.1 HDF-EOS Library User's Guide for the ECS Project, Volume 1: Overview and Examples	5
4.3.2 HDF-EOS Library User's Guide for the ECS Project, Volume 2: Function Reference Guide.....	9

## **5. Non-Conformance Status      1**

5.1 Known Problems with HDF-EOS 1.50.....	1
5.2 HDF-EOS 1.50 Non-Conformance Reports (Closed Status).....	1
5.3 HDF-EOS 1.50 Non-Conformance Reports (Open Status) .....	2

## **Appendix A. Build/Installation Instructions 1**

## **Appendix B. User Feedback Procedures 1**

## **Appendix C. Test Baseline Configuration 1**

## **Abbreviations and Acronyms 1**

# **1. Introduction**

---

## **1.1 Identification of Document**

This document is a Version Description Document (VDD) prepared using NASA-STD-2100-91 as a guide. It is submitted as required for the Earth Observing System Data and Information System (EOSDIS) Core System (ECS), contract number NAS5-60000.

## **1.2 Scope of Document**

This VDD specifies the delivery contents of the HDF-EOS 1.50 software and accompanying documentation.

## **1.3 Purpose and Objectives of Document**

The purpose of this VDD is to describe the contents of the delivery of HDF-EOS 1.50 software. The document briefly describes all tools that incorporate the delivery, provides an inventory of the delivery, lists unresolved problems, and addresses special issues such as special operating instructions, system limitations, and disclaimer notices for public domain software used in the library.

## **1.4 Document Status and Schedule**

This Version Description Document for HDF-EOS 1.50 is submitted as a final document. Any changes to HDF-EOS 1.50 that require a subsequent version to be released will be described in a new Version Description Document.

## **1.5 Document Organization**

The format and contents of this document comply with NASA-DID-P500 and NASA-DID-999 as defined in NASA-STD-2100-91.

- Introduction — Introduces the VDD scope, purpose, objectives, status, schedule and document organization.
- Related Documentation — Provides a bibliography of reference documents for the VDD organized by parent and binding subsections.
- Product Description — Describes the general capabilities and product contents.
- Inventory — Lists tar file listings for HDF-EOS and test drivers, and contents list of Users Guide.
- Non-conformance Status — Discusses known problems with HDF-EOS Version 1.00 and lists Non-conformance Reports with open status.
- Appendices — Contain supplemental information such as: Build/installation instructions, user feedback procedures, and the test baseline configuration.

This page intentionally left blank.

## **2. Related Documentation**

---

### **2.1 Parent Documents**

The following documents are the parent from which this document's scope and content derive:

- |                 |  |
|-----------------|--|
| 423-41-01       | EOSDIS Core System Statement of Work   |
| 423-16-02       | Science Data Processing (SDP) Toolkit Requirements Specification for the ECS Project                                       |
| 193-801-SD4-001 | The SDP Toolkit Requirements Specification for the Earth Observing System Data and Information System (EOSDIS) Core System |

### **2.2 Applicable Documents**

The following documents are directly applicable to this plan to the extent referenced herein. In the event of conflict between any of these documents and this plan, the plan shall take precedence.

- |                  |  |
|------------------|--|
| 170-TP-005-002   | HDF-EOS Library User's Guide for the ECS Project, Volume 1: Overview and Examples  |
| 170-TP-006-001   | HDF-EOS Library Users Guide for the ECS Project Volume 2: Function Reference Guide |
| 175-WP-001-001   | HDF-EOS Primer for Version 1 EOSDIS  |
| 333-CD-003-001   | SDP Toolkit User's Guide for the ECS Project                                       |
| NASA-STD-2100-91 | NASA Software Documentation Standard, Software Engineering Program                 |

This page intentionally left blank.

## 3. Product Description

---

This section describes the general capabilities of HDF-EOS 1.50 and the tools and test drivers provided.

### 3.1 Product Description and General Capabilities

HDF-EOS is an extension of NCSA (National Center for Supercomputing Applications) HDF and uses HDF library calls as an underlying basis. Version 4.0 r2 of HDF is used. The library tools are written in the C language and a FORTRAN interface is provided. The current version contains software for creating, accessing and manipulating grid, point and swath structures. Also included are overviews of the interfaces, function-by-function calling sequences, explanations, and code examples. Included also are tools for subsetting and data projection. EOSView, our viewing tool has been revised to accommodate the current version of the libraries.

HDF is the scientific data format standard selected by NASA as the baseline standard for EOS. These libraries are aimed at EOS data producers and consumers, who will develop their data into increasingly higher order products. These products range from calibrated Level 1 to Level 4 model data. The primary use of HDF-EOS libraries will be to create structures for associating geolocation data with their associated science data. This association is specified by producers through use of the supplied libraries. Most EOS data products identified, fall into categories of grid, point, or swath structures. These structures are implemented in the current version of the libraries. Services based on geolocation information will be built on HDF-EOS structures. Producers of products not covered by these structures (for example, non-geolocated data) can use standard HDF libraries.

In the ECS (EOS Core System) production system, the HDF-EOS libraries will be used in conjunction with SDP (Science Data Processing) Toolkit software. The primary tools used in conjunction to HDF-EOS libraries will be those for metadata handling, process control, and status message handling. Metadata tools will be used to write ECS inventory and granule specific metadata into HDF-EOS files, while the process control tools will be used to access physical file handles used by the HDF tools. (Release A SCF Toolkit Users Guide for the ECS Project, November 1996, 333-CD-003-005)

### 3.2 HDF-EOS Version 1.50 Routine Listing

The HDF-EOS library is comprised of three new APIs:

- Point (PT) interface – designed to support data that has associated geolocation information, but is not organized in any well defined spatial or temporal way
- Swath (SW) interface – tailored to support time-ordered data such as satellite swaths (which consist of a time-ordered series of scanlines), or profilers (which consist of a time-ordered series of profiles)
- Grid (GD) interface – designed to support data that has been stored in a rectilinear array based on a well defined and explicitly supported projection

The HDF library is accessible from both C and FORTRAN programs because it contains a set of “wrapper” functions that make the underlying C code callable from FORTRAN. HDF provides two names for each function; one for use in C programming and a shorter version for use in FORTRAN programming. The following HDF-EOS Routine listings provide a description of the tools.

### 3.2.1 PT API Routines

All C routine names in the point data interface have the prefix “PT” and the equivalent FORTRAN routine names are prefixed by “pt.” The PT routines are grouped into categories which are described in the HDF-EOS User’s Guide. The PT function calls are listed in the following table.

Routine Name		Description
C	FORTRAN	
PTopen	ptopen	creates a new file or opens an existing one
PTcreate	ptcreate	creates a new point data set and returns a handle
PTattach	ptattach	attaches to an existing point data set
PTdetach	ptdetach	releases a point data set and frees memory
PTclose	ptclose	closes the HDF-EOS file and deactivates the point interface
PTdeflevel	ptdeflev	defines a level within the point data set
PTdeflinkage	ptdeflink	defines link field to use between two levels
PTwritelevel	ptwrlev	writes (appends) full records to a level
PTreadlevel	ptrdlev	reads data from the specified fields and records of a level
PTupdatelevel	ptuplev	updates the specified fields and records of a level
PTwriteattr	ptwrattr	creates or updates an attribute of the point data set
PTreadattr	ptrdattr	reads existing attribute of point data set
PTnlevels	ptnlevs	returns the number of levels in a point data set
PTnrecs	ptnrecs	returns the number of records in a level
PTnfields	ptnflds	returns number of fields defined in a level
PTlevelinfo	ptnlevinfo	returns information about a given level
PTlevelindx	ptlevidx	returns index number for a named level
PTbcklinkinfo	ptblinkinfo	returns link field to previous level
PTfwdlinkinfo	ptflinkinfo	returns link field to following level
PTregioninfo	ptreginfo	returns information about defined region
PTperiodinfo	ptperinfo	returns information about defined time period
PTsizeof	ptssizeof	returns size in bytes for specified fields in a point
PTatattrinfo	ptatattrinfo	returns information about point attributes
PTinqattrs	ptinqattrs	retrieves number and names of attributes defined
PTinqpoint	ptinqpoint	retrieves number and names of points in file
PTgetrecnums	ptgetrecnums	returns corresponding record numbers in a related level
PTdefboxregion	ptdefboxreg	define region of interest by latitude/longitude
PTextractregion	ptextreg	read a region of interest from a set of fields in a single level
PTdeftimeperiod	ptdeftmeper	define time period of interest
PTextractperiod	ptextper	read a time period from a set of fields in a single level

### 3.2.2 SW API Routines

The SW interface consists of routines for storing, retrieving, and manipulating data in swath data sets. All C routine names in the swath data interface have the prefix “SW” and the equivalent FORTRAN routine names are prefixed by “sw.” The SW routines are grouped into categories which are described in the HDF-EOS User’s Guide. The SW function calls are listed in the following table.

Routine Name		Description
C	FORTRAN	
SWopen	swopen	opens or creates HDF file in order to create, read, or write a swath
SWcreate	swcreate	creates a swath within the file
SWattach	swattach	attaches to an existing swath within the file
SWdetach	swdetach	detaches from swath interface
SWclose	swclose	closes file
SWdefdim	swdefdim	defines a new dimension within the swath
SWdefdimmap	swdefmap	defines the mapping between the geolocation and data dimensions
SWdefidimap	swdefimap	defines a non-regular mapping between the geolocation and data dimension
SWdefgeofield	swdefgfld	defines a new geolocation field within the swath
SWdefdatafield	swdefdfld	defines a new data field within the swath
SWdefcomp	swdefcomp	defines a field compression scheme
SWwritegeometa	swwrgmeta	writes field metadata for an existing swath geolocation field
SWwritedatameta	swwrmeta	writes field metadata for an existing swath data field
SWwritefield	swwrfl	writes data to a swath field
SWreadfield	swrdfl	reads data from a swath field.
SWwriteattr	swrattr	writes/updates attribute in a swath
SWreadattr	swrattr	reads attribute from a swath
SWsetfillvalue	swsetfill	sets fill value for the specified field
SWgetfillvalue	swgetfill	retrieves fill value for the specified field
SWinqdims	swinqdims	retrieves information about dimensions defined in swath
SWinqmaps	swinqmaps	retrieves information about the geolocation relations defined
SWinqidxmaps	swinqimaps	retrieves information about the indexed geolocation/data mappings defined
SWinqgeofields	swinqflds	retrieves information about the geolocation fields defined
SWinqdatafields	swinqdfls	retrieves information about the data fields defined
SWinqattrs	swinqattrs	retrieves number and names of attributes defined
SWnentries	swnentries	returns number of entries and descriptive string buffer size for a specified entity
SWdiminfo	swdiminfo	retrieve size of specified dimension
SWmapinfo	swmapinfo	retrieve offset and increment of specified geolocation mapping
SWidxmapinfo	swimapinfo	retrieve offset and increment of specified geolocation mapping
SWregioninfo	swreginfo	returns information about defined region
SWperiodinfo	swperinfo	retuns information about a defined time period
SWattrinfo	swatrinfo	returns information about swath attributes
SWfieldinfo	swfldinfo	retrieve information about a specific geolocation or data field
SWinqswath	swingswath	retrieves number and names of swaths in file
SWdefboxregion	swdefboxreg	define region of interest by latitude/longitude
SWextractregion	swextreg	read a region of interest from a field
SWdeftimeperiod	swdeftmper	define a time period of interest
SWextractperiod	swextper	extract a defined time period
SWdefvrtregion	swdefvrtreg	define a region of interest by vertical field

### 3.2.3 GD API Routines

The table below provides the routines available for storing and retrieving HDF-EOS *Grid Data*. All C routine names in the grid data interface have the prefix “GD” and the equivalent FORTRAN routine names are prefixed by “gd.” The GD routines are grouped into categories which are described in the HDF-EOS User’s Guide.

Routine Name		Description
C	FORTRAN	
GDopen	gdopen	creates a new file or opens an existing one
GDcreate	gdcreate	creates a new grid in the file
GDattach	gdattach	attaches to a grid
GDdetach	gddetach	detaches from grid interface
GDclose	gdclose	closes file
GDdeforigin	gddeforigin	defines origin of grid
GDdefdim	gddefdim	defines dimensions for a swath
GDdefproj	gddefproj	defines projection of grid
GDdefpixreg	gddefpixreg	defines pixel registration within grid cell
GDdeffield	gddeffld	defines data fields to be stored in a grid
GDdefcomp	gddefcomp	defines a field compression scheme
GDwritefieldmeta	gdwrmeta	writes metadata for field already existing in file
GDwritefield	gdwrfld	writes data to a grid field.
GDreadfield	gdrdfld	reads data from a grid field
GDwriteattr	gdwrattr	writes/updates attribute in a grid.
GDreadattr	gdrdattr	reads attribute from a grid
GDsetfillvalue	gdsetfill	sets fill value for the specified field
GDgetfillvalue	gdgetfill	retrieves fill value for the specified field
GDinqdims	gdinqdims	retrieves information about dimensions defined in grid
GDinqfields	gdinqflds	retrieves information about the data fields defined in grid
GDinqattrs	gdinqattrs	retrieves number and names of attributes defined
GDnentries	gdnentries	returns number of entries and descriptive string buffer size for a specified entity
GDgridinfo	gdgridinfo	returns dimensions of grid and X-Y coordinates of corners
GDprojinfo	gdprojinfo	returns all GCTP projection information
GDdiminfo	gddiminfo	retrieves size of specified dimension.
GDregioninfo	gdreginfo	returns information about a defined region
GDfieldinfo	gdfldinfo	retrieves information about a specific geolocation or data field in the grid
GDinqgrid	gdinqgrid	retrieves number and names of grids in file
GDattrinfo	gdattrinfo	returns information about grid attributes
GDorigininfo	gdorginfo	return information about grid origin
GDpixreginfo	gdpreginfo	return pixel registration information for given grid
GDdefboxregion	gddefboxreg	define region of interest by latitude/longitude
GDextractregion	gdextrreg	read a region of interest from a field
GDdefvrtregion	gddefvrtreg	define a region of interest by vertical field
GDgetpixels	gdgetpix	get row/columns for lon/lat pairs
GDgetpixvalues	gdgetpixval	get field values for specified pixels
GDinterpolate	gdinterpolate	perform bilinear interpolation on a grid field

### **3.3 HDF-EOS 1.50 Test Tools and Drivers**

Included in the software delivery of HDF-EOS 1.50 is a tar file containing test driver programs. These test programs are provided to aid the user in the development of software using the HDF-EOS libraries. The user may run the same test cases as included in this file to verify that the software is functioning correctly. These programs were written to support the internal testing and are not an official part of the delivery. Users make use of them at their own risk. No support will be provided to the user of these programs. The tar file contains source code for a driver in C and FORTRAN for each tool, sample output files, and input files and/or shell scripts, where applicable.

The following UNIX command will create a directory called `test_drivers` beneath the current directory containing all these test files.

```
zcat HDF-EOS1.5v1.01_Testdrivers.tar.Z | tar xvf -
```

### **3.4 HDF-EOS 1.50 Hierarchical Data Format**

HDF refers to the scientific data format standard selected by NASA as the baseline standard for EOS and HDF-EOS refers to EOS conventions for using HDF. This document provides information on the use of the three interfaces included in HDF-EOS – Point, Swath, and Grid.

The Hierarchical Data Format (HDF) has been selected by the EOSDIS Project as the format of choice for standard product distribution. HDF is a *disk format* and *subroutine library* for storage of most kinds of scientific data. As a *disk format*, HDF files consist of a directory and an unordered set of binary data objects. Each directory entry describes the location, the type, and the size of these binary objects.

The *HDF subroutine library* is designed to be easy for C and FORTRAN programmers to use. The HDF library consists of callable routines, each of which belongs to a particular *interface*. Each interface within these layers address a particular HDF function or a particular HDF data structure, such as arrays, tables, and annotations.

### **3.5 HDF-EOS User's Guide**

The purpose of the ***HDF-EOS Library User's Guide for the ECS Project, Volume 1: Overview and Examples*** (170-TP-005-002) is to provide EOS instrument data processing software developers and scientists with knowledge of HDF-EOS 1.50 functionality and to provide a listing of routine calling sequences, detailed descriptions, and examples of usage.

The ***HDF-EOS Library Users Guide for the ECS Project Volume 2: Function Reference Guide*** (170-TP-006-001) is intended for use by anyone who wishes to use the HDF-EOS library to create or read EOS data products. Users of this document will include EOS instrument team science software developers and data product designers, DAAC personnel, and end users of EOS data products such as scientists and researchers.

This page intentionally left blank.

## 4. Product Inventory

---

### 4.1 HDF-EOS 1.50 Tar File Listing

A listing of the tar file ‘HDF-EOS1.5v1.01.tar.Z’ follows:

```
hdfeos/bin/  
hdfeos/bin/INSTALL-HDFEOS  
hdfeos/bin/dec/  
hdfeos/bin/hp/  
hdfeos/bin/ibm/  
hdfeos/bin/sgi/  
hdfeos/bin/sgi32/  
hdfeos/bin/sgi64/  
hdfeos/bin/sun4/  
hdfeos/bin/sun5/  
hdfeos/bin/tmp/  
hdfeos/bin/tmp/hdfeos_env.csh.tmp  
hdfeos/bin/tmp/hdfeos_env.ksh.tmp  
hdfeos/bin/tmp/fixedBuoy0.txt  
hdfeos/bin/tmp/fixedBuoy1.txt  
hdfeos/bin/tmp/fixedBuoy1s.txt  
hdfeos/bin/tmp/floatBuoy0.txt  
hdfeos/bin/tmp/floatBuoy1.txt  
hdfeos/bin/tmp/simple.txt  
hdfeos/doc/  
hdfeos/doc/README  
hdfeos/doc/HDFEOS-DEFINITION.TXT  
hdfeos/include/  
hdfeos/include/HdfEosDef.h
```

```
hdfeos/include/cfortHdf.h  
hdfeos/include/cproj.h  
hdfeos/include/proj.h  
hdfeos/lib/  
hdfeos/lib/dec/  
hdfeos/lib/hp/  
hdfeos/lib/ibm/  
hdfeos/lib/sgi/  
hdfeos/lib/sgi32/  
hdfeos/lib/sgi64/  
hdfeos/lib/sun4/  
hdfeos/lib/sun5/  
hdfeos/lib/tmp/  
hdfeos/lib/tmp/geolibDEC.a  
hdfeos/lib/tmp/geolibHP.a  
hdfeos/lib/tmp/geolibIBM.a  
hdfeos/lib/tmp/geolibIRIX53.a  
hdfeos/lib/tmp/geolibIRIX62-32.a  
hdfeos/lib/tmp/geolibIRIX62-64.a  
hdfeos/lib/tmp/geolibSOL24.a  
hdfeos/lib/tmp/geolibSUN4.a  
hdfeos/lib/tmp/geolibIRIX62-n32.a  
hdfeos/make/  
hdfeos/make/CLSIinstall.sh  
hdfeos/make/Makefile.instr  
hdfeos/make/Makefile.template  
hdfeos/make/make.options  
hdfeos/make/make.targets  
hdfeos/make/makeidl.include
```

```
hdfeos/make/makeidlxx.include  
hdfeos/make/makerec.include  
hdfeos/make/makerec.template  
hdfeos/obj/  
hdfeos/obj/dec/  
hdfeos/obj/hp/  
hdfeos/obj/ibm/  
hdfeos/obj/sgi/  
hdfeos/obj/sgi32/  
hdfeos/obj/sgi64/  
hdfeos/obj/sun4/  
hdfeos/obj/sun5/  
hdfeos/src/  
hdfeos/src/EHapi.c  
hdfeos/src/GDapi.c  
hdfeos/src/PTapi.c  
hdfeos/src/SWapi.c  
hdfeos/src/SWfortDEC  
hdfeos/src/make_IT/  
hdfeos/src/make_IT/makeDEC4.0r1  
hdfeos/src/make_IT/makeHP4.0r1  
hdfeos/src/make_IT/makeIBM4.0r1  
hdfeos/src/make_IT/makeSGI4.0r1  
hdfeos/src/make_IT/makeSUN4.0r1  
hdfeos/src/make_IT/makeinc  
hdfeos/src/Makefile_CM  
hdfeos/src/Makefile  
hdfeos/src/Makefile_alt
```

## 4.2 HDF-EOS 1.50 Test Tools Tar File Listing

A listing of the tar file “HDF-EOS1.5v1.01\_Testdrivers.tar.Z” follows:

```
hdfeos/testdrivers/  
hdfeos/testdrivers/README  
hdfeos/testdrivers/swath/  
hdfeos/testdrivers/swath/testswath.c  
hdfeos/testdrivers/swath/testswath.f  
hdfeos/testdrivers/swath/testswathf90-32.f  
hdfeos/testdrivers/swath/tutils.h  
hdfeos/testdrivers/grid/  
hdfeos/testdrivers/grid/testgrid.c  
hdfeos/testdrivers/grid/testgrid.f  
hdfeos/testdrivers/grid/testgridf90-32.f  
hdfeos/testdrivers/grid/tutils.h  
hdfeos/testdrivers/point/  
hdfeos/testdrivers/point/fixedBuoy0.txt  
hdfeos/testdrivers/point/fixedBuoy1.txt  
hdfeos/testdrivers/point/fixedBuoyls.txt  
hdfeos/testdrivers/point/floatBuoy0.txt  
hdfeos/testdrivers/point/floatBuoy1.txt  
hdfeos/testdrivers/point/simple.txt  
hdfeos/testdrivers/point/testpoint.c  
hdfeos/testdrivers/point/testpoint.f  
hdfeos/testdrivers/point/testpointf90-32.f  
hdfeos/testdrivers/point/tutils.h
```

## **4.3 User's Guide Table of Contents**

The tables of contents are provided for the following documents:

- a. HDF-EOS Library User's Guide for the ECS Project, Volume 1: Overview and Examples
- b. HDF-EOS Library User's Guide for the ECS Project, Volume 2: Function Reference Guide

### **4.3.1 HDF-EOS Library User's Guide for the ECS Project, Volume 1: Overview and Examples**

#### **Preface**

#### **Abstract**

#### **1. Introduction**

1.1..... Identification .....	1-1
1.2..... Scope .....	1-1
1.3..... Purpose and Objectives .....	1-1
1.4..... Status and Schedule.....	1-1
1.5..... Document Organization .....	1-2

#### **2. Related Documentation**

2.1..... Parent Documents.....	2-1
2.2..... Related Documents.....	2-1

#### **3. Overview of HDF-EOS**

3.1..... Background .....	3-1
3.2..... Design Philosophy.....	3-1
3.3..... Packaging .....	3-2

## **4. Point Data**

4.1..... Introduction .....	4-1
4.2..... Applicability .....	4-3
4.3..... The Point Data Interface.....	4-3
4.3.1..... PT API Routines.....	4-3
4.3.2..... File Identifiers .....	4-4
4.3.3..... Point Identifiers .....	4-4
4.4..... Programming Model.....	4-5

## **5. Swath Data**

5.1..... Introduction .....	5-1
5.1.1..... Data Fields.....	5-2
5.1.2..... Geolocation Fields.....	5-3
5.1.3..... Dimensions.....	5-3
5.1.4..... Dimension Maps.....	5-3
5.1.5..... Index.....	5-4
5.2..... Applicability .....	5-5
5.3..... The Swath Data Interface.....	5-5
5.3.1..... SW API Routines .....	5-5
5.3.2..... File Identifiers .....	5-7
5.3.3..... Swath Identifiers.....	5-7
5.4..... Programming Model.....	5-7

## **6. Grid Data**

6.1..... Introduction .....	6-1
6.1.1..... Data Fields.....	6-2
6.1.2..... Dimensions.....	6-2
6.1.3..... Projections.....	6-2
6.2..... Applicability .....	6-3
6.3..... The Grid Data Interface.....	6-3
6.3.1..... GD API Routines.....	6-3
6.3.2..... File Identifiers .....	6-5
6.3.3..... Grid Identifiers .....	6-5

6.4.....	Programming Model.....	6-5
6.5.....	GCTP Usage.....	6-6
6.5.1.....	GCTP Projection Codes .....	6-6
6.5.2.....	UTM Zone Codes.....	6-6
6.5.3.....	GCTP Spheroid Codes .....	6-7

## **7 Examples of HDF-EOS Library Usage**

7.1.....	Point Examples.....	7-1
7.1.1.....	A C Example of Creating a Simple Point .....	7-1
7.1.2.....	A FORTRAN Example of Creating a Simple Point.....	7-8
7.2.....	Swath Examples .....	7-13
7.2.1.....	Creating a Simple Swath .....	7-13
7.2.2.....	A 'Real World' Example of a Swath Creation.....	7-27
7.3.....	Grid Examples.....	7-30
7.3.1.....	Creating a Simple Grid.....	7-30
7.4.....	Combining HDF and HDF-EOS Documents .....	7-45
7.4.1.....	Adding HDF-EOS Structures to an Existing HDF File .....	7-45
7.4.2.....	Adding an SDS to an Existing HDF File .....	7-45
7.4.3.....	Writing HDF-EOS Structures and Native HDF Objects Simultaneously .....	7-45

## **8. Examples of SDP Toolkit Usage**

8.1.....	Opening a File .....	8-1
8.1.1.....	A C Example of a File Open Using the SDP Toolkit.....	8-1
8.1.2.....	A FORTRAN Example of a File Open Using the SDP Toolkit.....	8-2
8.2.....	Status Message Example .....	8-3
8.2.1.....	A C Example of SDP Toolkit Status Message Handling .....	8-5
8.2.2.....	A FORTRAN Example of SDP Toolkit Status Message Handling .....	8-6
8.3.....	Writing ODL Metadata into HDF-EOS .....	8-8
8.3.1.....	A C Example of Metadata Write .....	8-8
8.3.2.....	A FORTRAN Example of Metadata Write .....	8-11

## **Figures**

4-1. .... A Simple Point Data Example.....	4-1
4-2. .... Recording Points Over Time.....	4-2
4-3. .... Point Data from a Moving Platform.....	4-2
5-1. .... A Typical Satellite Swath: Scanning Instrument .....	5-1
5-2. .... A Swath Derived from a Profiling Instrument .....	5-2
5-3. .... A “Normal” Dimension Map .....	5-4
5-4. .... A “Backwards” Dimension Map.....	5-4
6-1. .... A Data Field in a Mercator-projected Grid .....	6-1
6-2. .... A Data Field in an Interrupted Goode’s Homolosine-projected Grid.....	6-2

## **Tables**

4-1. .... Summary of the Point Interface.....	4-4
5-1. .... Summary of the Swath Interface .....	5-6
6-1. .... Summary of the Grid Interface.....	6-4

## **Appendix A. Installation and Maintenance**

## **Abbreviations and Acronyms**

## **4.3.2 HDF-EOS Library User's Guide for the ECS Project, Volume 2: Function Reference Guide**

### **Abstract**

### **1. Introduction**

1.1 Purpose.....	1-1
1.2 Organization.....	1-1
1.3 Point Data.....	1-1
1.3.1 PT API Routines .....	1-2
1.3.2 List of PT API Routines.....	1-2
1.4 Swath Data .....	1-3
1.4.1 The Swath Data Interface.....	1-4
1.4.2 List of SW API Routines .....	1-4
1.5 Grid Data.....	1-6
1.5.1 The Grid Data Interface .....	1-6
1.5.2 List of Grid API ROUTINES.....	1-6
1.6 GCTP Usage .....	1-8
1.6.1 GCTP Projection Codes.....	1-8
1.6.2 UTM Zone Codes.....	1-8
1.6.3 GCTP Spheroid Codes.....	1-9

### **2. Function Reference**

2.1 Format.....	2-1
2.1.1 Point Interface Functions .....	2-1
2.1.2 Swath Interface Functions.....	2-35
2.1.3 Grid Interface Functions .....	2-89

### **Tables**

1-3. Summary of the Point Interface.....	1-3
1-4. Summary of the Swath Interface .....	1-5
1-5. Summary of the Grid Interface .....	1-7

### **Abbreviations and Acronyms**

This page intentionally left blank.

## 5. Non-Conformance Status

---

### 5.1 Known Problems with HDF-EOS 1.50

This section contains the list of problems closed (Section 5.2) and known problems (Section 5.3) as of 11/20/96 in the HDF-EOS 1.50 delivery. These problems were found and recorded during unit and integration and captured in the formal problem tracking system, Distributed Defect Tracking System (DDTS). The DDTS system generated the attached list of “closed” NCRs. This list has been reviewed by HITC management and HDF-EOS is considered to be acceptable for delivery at this time. The list includes the NCR ID, Title, Description, and Status. DDTS Problem Severity Definitions, on a 1-5 scale, are defined as follows:

- 1 Catastrophic and unrecoverable!  
Example: system crash or lost user data.
- 2 Severely broken and no workaround.  
Example: can't use major product function.
- 3 A defect that needs to be fixed but there is a workaround.  
Example: user data must be modified to work.
- 4 A defect that causes small impact. Easy to recover or workaround.  
Example: error messages aren't very clear.
- 5 Trivial defect or enhancement request.  
Example: bad layout or misuse of grammar in manual.

### 5.2 HDF-EOS 1.50 Non-Conformance Reports (Closed Status)

**NCR ID:** ECSed02159  
**Tool:** GCTPc  
**Title:** SOM projection is not working properly  
**Severity:** 3  
**Description:** I ran tests on SOM projections on GCTPc software using testproj module and I also ran couple of SOM tests on simulated MISR swath. The value of X coordinates jumps to different value as it crosses the pole. The value of Y coordinates is negative where it is expected to be positive. The location of the origin is not clear since this software points to the origin for two different values. There could a bug in the GCTPc software and there is no users support for this software. We are looking into other software which could solve the SOM projection problem.

**NCR ID:** ECSed02211  
**Tool:** SWapi.c  
**Title:** SWdefboxregion & SWdeftimeperiod, "ANYPOINT" mode is not implemented  
**Severity:** 3  
**Description:** The "ANYPOINT" mode in the functions SWdefboxregion and Swdeftimeperiod is not implemented for Release A.

The "ANYPOINT" mode makes it easier to subset, a work around it to subset in the "ENDPOINT" mode and then the "MIDPOINT" mode, this method requires two passes in code but produces the same result.

**NCR ID:** ECSed02214  
**Tool:** EOSHDF  
**Title:** Function needed for attributes  
**Severity:** 3  
**Description:** For all three interfaces the function for attribute information will be put in for the interim release in September. It will be called Swinqatrrs, GDinqatrrs and PTinqatrrs, it will basically return all attributes contained in a file.

### 5.3 HDF-EOS 1.50 Non-Conformance Reports (Open Status)

The following NCRs are liens against the HDF-EOS 1.50 delivery:

**NCR ID:** ECSed02141  
**Tool:** HDF4.0r1 patch 1  
**Title:** The compression feature of NCSA HDF4.0r2 is unreliable  
**Severity:** 3  
**Description:** The compression functionality is provided by the standard HDF library and is not a feature of the EOS-HDF library.

I ran the tests that are built automatically when standard HDF is installed. When I ran the test “testhdf”, it failed the compression test. It was on the 64-bit SGI power challenge platform with the “-n32” compile flag.

**NCR ID:** ECSed04548  
**Tool:** NCSA HDF 4.0r2  
**Title:** Standard HDF 4.0r2 doesn't support “acc” compiler on Sun 4 OS  
**Severity:** 3  
**Description:** HDF 4.0 release 2.0 from NCSA doesn't support the acc compiler on the SunOS4 platform

## **Appendix A. Build/Installation Instructions**

---

Build/installation instructions for HDF-EOS are located in Appendix A of the HDF-EOS User's Guide (170-TP-005-002), and the README file available with the HDF-EOS for delivery.

This page intentionally left blank.

## **Appendix B. User Feedback Procedures**

---

The mechanism for handling user feedback, documentation and software discrepancies, and bug reports follows:

- a. Accounts at the ECS Landover facility have been set up for user response:  
pgstlkit@eos.hitc.com or  
hdfeos@eos.hitc.com
- b. Users will e-mail problem reports and comments to the above account. A receipt will be returned to the sender. A workoff plan for the discrepancy will be developed and status report issued once a month. Responses will be prioritized based on the severity of the problem and the available resources. Simple bug fixes will be turned around sooner, while requested functional enhancements to the Toolkit will be placed in a recommended requirements data base (RRDB) and handled more formally.
- c. In order to help expedite responses, we request the following information be supplied with problem reports:

Name:

Date:

EOS Affiliation (DAAC, Instrument, ESDIS, etc.):

Phone No.:

Development Environment:

Computing Platform:

Operating System:

Compiler and Compiler Flags:

Tool Name:

Problem Description:

(Please include exact inputs to and outputs from the toolkit call, including error code returned by the function, plus exact error message returned where applicable.)

Suggested Resolution (include code fixes or workarounds if applicable):

- d. In addition to the e-mail response mechanism, a phone answering machine is also provided. The telephone number is: 301-925-0781. Calls will be returned as soon as possible. Note, however, that e-mail is the preferred method of responding to users.

This page intentionally left blank.

## Appendix C. Test Baseline Configuration

---

The HDF-EOS library was built and tested in a multi-platform environment using the following platforms, operating systems, and compilers:

***Table C-1. HDF-EOS Development Configuration***

Platform	OS	Version	C Compiler	FORTRAN
Sun Sparc	Solaris	2.4	Sun C 3.0.1	Sun FORTRAN 3.0.1
Sun Sparc	SunOS	4.1.4	Sun C 3.0.1	Sun FORTRAN 3.0.1
HP 9000/735	HP-UX	A.09.05	HP C 9.75	HP FORTRAN 9.16
SGI Indigo	IRIX	5.3	SGI C 3.19	SGI FORTRAN 4.0.2
SGI Indigo	IRIX	6.2	SGI C 6.2	SGI FORTRAN 6.2
DEC Alpha	OSF1	3.0	DEC C 3.0	DEC FORTRAN 3.6
IBM RS-6000	AIX	3.2.5	IBM C 2.1.4.0	IBM FORTRAN 3.2.2.0
SGI Power Challenge	IRIX	6.2	SGI C 6.2	SGI FORTRAN 6.2

*Note:* SGI and SunOS 4 are also running NAG FORTRAN-90 2.1.

This page intentionally left blank.

## **Abbreviations and Acronyms**

---

A.A.	Astronomical Almanac
AA	Ancillary Data Access
AIRS	Atmospheric Infrared Sounder
API	Application Program Interface
APID	Application Process Identifier
ASTER	Advanced Spaceborne Thermal Emission and Reflection Radiometer
BNF	Bachus-Nauer Form
CBP	Celestial Body Position
CCR	Configuration Change Request
CCSDS	Consultative Committee on Space Data Systems
CDRL	Contract Deliverable Requirements List
CERES	Clouds and Earth Radiant Energy System
COTS	Commercial off-the-shelf Software
CSMS	Communications and Systems Management Segment (ECS)
CRC	Cyclic Redundancy Code
CSC	Coordinate System Conversion
CUC	Constant and Unit Conversions
DAAC	Distributed Active Archive Center
DCE	Distributed Computing Environment
DCN	Document Change Notice
DCW	Digital Chart World
DDF	Data Distribution Facility
DEM	Digital Elevation Model
DDTs	Distributed Defect Tracking system
DPFT	Data Processing Focus Team
DTM	Digital Terrain Model
ECI	Earth Centered Inertial
ECR	Earth Centered Rotating

ECS	EOSDIS Core System
EDHS	ECS Data Handling System
EDOS	EOS Data and Operations System
EOS	Earth Observing System
EOSAM	EOS AM Project (morning spacecraft series)
EOSDIS	EOS Data and Information System
EOSPM	EOS PM Project (afternoon spacecraft series)
EPH	Ephemeris Data Access
ESDIS	Earth Science Data and Information System
ET	Ephemeris Tool
FDF	Flight Dynamics Facility
FOV	Field-of-View
ftp	file transfer protocol
GAST	Greenwich Apparent Sidereal Time
GCT	Geo-Coordinate Transformation
GMST	Greenwich Mean Sidereal Time
GPS	Global Positioning System
GSFC	Goddard Space Flight Center
HAIS	Hughes Applied Information Systems
HDF	Hierarchical Data Format
HDF-EOS	Hierarchial Data Format - Earth Observing System
HITC	Hughes Information Technology Company
http	hypertext transport protocol
I&T	Integration & Test
I/O	Input/Output
IEEE	Institute of Electrical and Electronic Engineers
IMS	Information Management System (ECS)
IWG	Investigator Working Group
JPL	Jet Propulsion Laboratory
LaRC	Langley Research Center
MOO	Maintain and Operation

MCF	Metadata Configuration File
MDUE	Missing Data Unit Entry
MEM	Memory Management
MET	Metadata
MODIS	Moderate-Resolution Imaging Spectroradiometer
MSFC	Marshall Space Flight Center
NASA	National Aeronautics and Space Administration
NCR	Nonconformance Report
NCSA	National Center for Supercomputer Applications
netCDF	network Common Data Format
NMC	National Meteorological Center
PACOR	Packet Processor
PC	Process Control
PGE	Product Generation Executive
PCF	Process Control File
PDS	Production Data Set
PDPS	Planning & Data Production System
PCF	Process Control File
PDR	Preliminary Design Review
PGE	Product Generation Executive (formerly Product Generation Executable)
PGS	Product Generation System (ECS)
PGSTK	Product Generation System Toolkit
POSIX	Portable Operating System Interface for Computer Environments
QA	Quality Assurance
QAC	Quality and Accounting Capsule
RDBMS	Relation Data Base Management System
RPC	Remote Procedure Calls
RRDB	Recommended Requirements Database
SCF	Science Computing Facility
SDP	Science Data Production
SES	Scheduling and Execution Subsystem

SDPS	Science Data Processing Segment
SDPF	Science Data Processing Facility
SGI	Silicon Graphics International
smf	Collection of utilities and library routines used for generating SMFs and manipulating SMF-defined status values and messages
SMF	Status Message File
SPSO	Science Processing Support Office
SSM/I	Special Sensor for Microwave Imaging
TAI	International Atomic Time
TBD	To Be Determined
TD	Time Date Conversion
TDB	Barycentric Dynamical Time
TDRSS	Tracking and Data Relay Satellite System
TDT	Terrestrial Dynamical Time
TLCF	Team Leader Computing Facility
TRMM	Tropical Rainfall Measuring Mission (joint US - Japan)
TSS	(TDRSS) Service Session
UARS	Upper Atmosphere Research Satellite
URL	Universal Research Locator
US	United States
USNO	U.S. Naval Observatory
UT	Universal Time
UTC	Universal Coordinated Time
UTCF	Universal Time Correlation Factor
UTM	Universal Transverse Mercator
VCDU	Virtual Channel Data Unit
VDD	Version Description Document
VPF	Vector Product Format
WWW	World Wide Web